

## Refine Search

### Search Results

Terms	Documents
(power or plater-zyberk).in. and (OPG or osteoprotegerin or OCIF or osteoclastogenesis inhibitory factor)	7

Database:

US Pre-Grant Publication Full-Text Data  
US Patents Full-Text Database  
Unpublished Applications Full-Text Data

Search Type: ☐ Prior Art ☒ Interference

Search:

L22

Refine Search

Recall Text



Clear

Interrupt

### Search History

DATE: Friday, August 14, 2009

[Purge Queries](#)[Printable Copy](#)[Create Case](#)

Set Name   Query  
Side by Side

Hit Count   Set Name  
Result Set

Set Name  
Grid

*Interference Searches**DB=PGPB,USPT,UPAD; PLUR=NO; OP=ADJ*

<a href="#">L22</a>	(power or plater-zyberk).in. and (OPG or osteoprotegerin or OCIF or osteoclastogenesis inhibitory factor)	7	<a href="#">L22</a>	<a href="#">L22</a>
<a href="#">L21</a>	L18 and L20	26	<a href="#">L21</a>	<a href="#">L21</a>

<u>L20</u>	L16 and L17	730	<u>L20</u>	<u>L20</u>
<u>L19</u>	L15 and L17	3	<u>L19</u>	<u>L19</u>
<u>L18</u>	(OPG or osteoprotegerin or OCIF or osteoclastogenesis inhibitory factor).ti. or (OPG or osteoprotegerin or OCIF or osteoclastogenesis inhibitory factor).clm.	283	<u>L18</u>	<u>L18</u>
<u>L17</u>	(administer\$) with (OPG or osteoprotegerin or OCIF or osteoclastogenesis inhibitory factor)	831	<u>L17</u>	<u>L17</u>
<u>L16</u>	(treat\$ or cur\$ or prevent\$ or inhibit\$) with (keloid or scar\$ or fibrosis or fibrotic or scleroderma)	42756	<u>L16</u>	<u>L16</u>
<u>L15</u>	(treat\$ or cur\$ or prevent\$ or inhibit\$) with (connective tissue) with (overprod\$ or increas\$)	373	<u>L15</u>	<u>L15</u>

*Prior Art Searches*

*DB=PGPB,USPT,EPAB,JPAB,DWPI; PLUR=NO; OP=ADJ*

<u>L14</u>	L2 and L12	0	<u>L14</u>	<u>L14</u>
<u>L13</u>	L3 and L12	5	<u>L13</u>	<u>L13</u>
<u>L12</u>	(power or plater-zyberk).in. and (OPG or osteoprotegerin or OCIF or osteoclastogenesis inhibitory factor)	9	<u>L12</u>	<u>L12</u>
<u>L11</u>	L5 and L6	2	<u>L11</u>	<u>L11</u>
<u>L10</u>	L4 and L6	26	<u>L10</u>	<u>L10</u>
<u>L9</u>	L5 and L7	0	<u>L9</u>	<u>L9</u>
<u>L8</u>	L4 and L7	3	<u>L8</u>	<u>L8</u>
<u>L7</u>	(OPG or osteoprotegerin or OCIF or osteoclastogenesis inhibitory factor).ti.	116	<u>L7</u>	<u>L7</u>
<u>L6</u>	(OPG or osteoprotegerin or OCIF or osteoclastogenesis inhibitory factor).clm.	276	<u>L6</u>	<u>L6</u>
<u>L5</u>	L2 and L3	228	<u>L5</u>	<u>L5</u>
<u>L4</u>	L1 and L3	731	<u>L4</u>	<u>L4</u>

<u>L3</u>	(treat\$ or cur\$ or prevent\$ or inhibit\$) with (keloid or scar\$ or fibrosis or fibrotic or scleroderma)	63439	<u>L3</u>	<u>L3</u>
<u>L2</u>	(treat\$ or cur\$ or prevent\$ or inhibit\$) with (connective tissue) with (overprod\$ or increas\$)	478	<u>L2</u>	<u>L2</u>
<u>L1</u>	(administer\$) with (OPG or osteoprotegerin or OCIF or osteoclastogenesis inhibitory factor)	862	<u>L1</u>	<u>L1</u>

END OF SEARCH HISTORY